



## INAPRO® SW

• Soil Retention Agent • Penetrant • Humectant • Spreader

KEEP OUT OF REACH OF CHILDREN



### DANGER!

Causes skin irritation  
Causes serious eye damage

#### Principal Functioning Agents:

Amine Oxides, Ethoxylated Castor Oil, Ethylene Oxide-Propylene Oxide Copolymer and  
Methylated Seed Oil.....67.5%  
Constituents Ineffective as Spray Adjuvants.....32.5%  
Total.....100.00%  
(Surfactant total 67.36%)  
Ingredients exempt from the requirements of a tolerance under 40 CFR 180.

See Safety Data Sheet (SDS) for more information.

NOT FOR AQUATIC USE

#### GENERAL INFORMATION:

INAPRO® SW is a unique soil adjuvant specifically designed to help with moisture management in crop and turf with hydrophobic soil. INAPRO® SW helps to lower surface tension and increase water spread and penetration in various soil profiles. INAPRO® SW can be used with pre-emergent pesticides as a tank mix adjuvant for better spread, penetration, and humectant properties.

#### DIRECTIONS FOR USE:

**Irrigation Systems:** Use INAPRO® SW at 1 to 8 quarts per acre through any type of irrigation system, and the first application should correspond with the first irrigation cycle. Follow-up application of 1 to 8 pints per acre is recommended two weeks after initial application, and continue with 1 to 6 pints per acre every 6 weeks for maximum effect.

**Drip of Micro-Sprinkler Systems:** Use INAPRO® SW at 1 to 8 quarts per acre through any type of irrigation system, and the first application should correspond with the first irrigation cycle. Follow-up application of 1 to 8 pints per acre is recommended two weeks after initial application, and continue with 1 to 6 pints per acre every 6 weeks for maximum effect.

**Conventional Tank Sprayers:** Use INAPRO® SW at 2% or 2 gallons per 100 gallons of spray solution and apply at a rate of 1 to 8 pints per acre prior to anticipated rainfall

**Tank Mix adjuvant:** Use INAPRO® SW at a rate of 0.250-2.000% or 2 pt. to 2 gallons per 100 gallons of spray mix, unless an alternative recommendation is noted on the pesticide label.

**COMPATIBILITY:** INAPRO® SW is compatible with many different herbicides including glyphosate, 2,4-D, sulfonylureas, and pyridine chemistries. If the combination has not been previously used, a jar test for compatibility is recommended.

Always consult the herbicide product label for directions and rates.

Sold By:  
Kop-Coat, Inc. dba Kop-Coat Protection Products  
3040 William Pitt Way Pittsburgh PA 15238  
412-227-2700

#### PRECAUTIONARY STATEMENTS

**Prevention:** Wash face and hands and any exposed skin thoroughly after handling.

**Personal Protection Equipment (PPE):** Wash face and hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye/face protection.

FIRST AID	
<b>If on Skin</b>	Wash with plenty of water for at least 15 minutes.. Remove all contaminated clothing and wash it before reuse. Call a physician or poison center immediately.
<b>If in Eyes</b>	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
<b>If Inhaled</b>	Move to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately.
<b>If Ingested</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Risk of product entering the lungs on vomiting after ingestion. Gently wipe or rinse the inside of the mouth with water. If a person vomits when lying on his back, place him in the recovery position.
<b>Hot Line Numbers</b>	For <b>medical emergencies</b> call your poison control center at 1-800-222-1222. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For <b>transportation emergencies</b> , call Chemtrec at 800-424-9300 (US); +1 703-741-5970 (International).
<b>Note to Physician</b>	Treat symptomatically. Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung edema or pneumonia. There is no specific antidote for effects from overexposure to this material.

**Storage:** Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Store in accordance with local regulations. Keep away from food, drink and animal feedingstuffs. Do not contaminate water supplies.

**Disposal:** Dispose of contents in accordance with local/regional/national/international regulations.

**In Case of Fire:** Use: Water spray. Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemical. Cool containers with flooding quantities of water until well after fire is out.

**Disclaimer:** To the extent consistent with applicable law, seller (whether manufacturer, distributor, or other) makes no warranty express or implied, including the implied warranty of merchantability AND IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE regarding this product except the composition as set forth in the ingredient statement herein, and shall not be liable for LOST PROFITS, LOST PRODUCTION, LABOR COSTS, TRANSPORTATION CHARGES, OR ANY special, consequential, INCIDENTAL OR DELAY damages, the exclusive remedy being the replacement of the product. To the extent consistent with applicable law, buyer or user assumes all risk of possession, handling or use of this material when such use and/or handling is contrary to label instructions.

Patents and Patent Pending.

Contents

Gallons

32030/R01C/052125