

Safety Data Sheet

1. Identification

Product Information.	19920
Product Name:	Workhorse® AXT®
Recommended Use.	Wood preservative
Uses advised against.	No information available
Supplier.	Kop-Coat, Inc. dba Kop-Coat Protection Products 3040 William Pitt Way Pittsburgh, PA 15238 412-227-2700
Emergency telephone number.	Chemtrec: +1-800-424-9300 USA Chemtrec: +1-703-527-3887 ex-USA

2. Hazards Identification

GHS Classification in accordance with 29 CFR 1910.1200

Reproductive Toxicity, category 1B
STOT, repeated exposure, category 1
Skin Corrosion, category 1B
Skin Sensitizer, category 1
Serious Eye Damage, category 1

GHS Pictograms



Signal Word

Danger

Unknown Acute Toxicity

< 0.1% of the mixture consists of ingredient(s) of unknown acute toxicity

HAZARD STATEMENTS

Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes serious eye damage.
May damage fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements - Prevention.

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/ vapors/spray.
Wash face and hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing, eye protection, face protection

Precautionary Statements - Response.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin: Wash with plenty of water.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Immediately call a poison center or doctor.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Precautionary Statements - Storage.

Store locked up.

Precautionary Statements - Disposal.

Dispose of contents in accordance with local, regional, national, international regulations.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Wt. %</u>
Oxide of dialkyl substituted lauramine	Proprietary	2.5-10
Dimethylated aliphatic alkyl amine	Proprietary	2.5-10
Alkylcarboxylic acid	Proprietary	2.5-10
Polyethylene glycol branched nonylphenyl ether	68412-54-4	2.5-10
Dialkylated myristyl amine	Proprietary	2.5-10
Oxide of dialkyl substituted myristylamine	Proprietary	2.5-10
Polypropylene glycol	25322-69-4	1.0-2.5
Dialkylamine butylated alcohol	Proprietary	1.0-2.5
3-iodo-2-propynyl butyl carbamate	55406-53-6	1.0-2.5

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid Measures

Description of first-aid measures.

General advice.

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Inhalation.

Move to fresh air. If not breathing, give artificial respiration. Call a physician or poison control center immediately.

Skin contact.

Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician or poison control center immediately.

Eye contact.

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician or poison control center immediately.

Ingestion.

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately. Risk of product entering the lungs on vomiting after ingestion. Gently wipe or rinse the inside of the mouth with water. If a person vomits when lying on his back, place him in the recovery position.

Symptoms.

No information available.

Notes to physician.

Treat symptomatically. Smallest quantities reaching the lungs through swallowing or subsequent vomiting may result in lung edema or pneumonia. There is no specific antidote for effects from overexposure to this material.

5. Fire-fighting Measures

Extinguishing media.

Suitable extinguishing media.

Use: Water spray. Carbon dioxide (CO₂). Foam. Dry chemical. Cool containers with flooding quantities of water until well after fire is out.

Extinguishing media which shall not be used for safety reasons.

None known based on information supplied.

Special hazards arising from the substance or mixture.

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Advice for firefighters.

Use personal protective equipment.

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Cool closed containers exposed to fire with water spray.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures.

Personal precautions.

Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Stop leak if you can do it without risk. Do not get in eyes, on skin, or on clothing. Thoroughly decontaminate all protective equipment after use. Personal protection needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the training and the expertise of employees in the area responding to the spill.

Advice for emergency responders.

Use personal protection recommended in Section 8.

Environmental precautions.

Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains. See Section 12 for additional Ecological information.

Methods and materials for containment and cleaning up.

Methods for Containment.

Dike far ahead of spill; use dry sand to contain the flow of material. Prevent further leakage or spillage if safe to do so. Cover liquid spill with sand, earth or other noncombustible absorbent material. Use personal protective equipment.

Methods for cleaning up.

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Clean contaminated surface thoroughly. Keep in suitable and closed containers for disposal. Ventilate the area. Use personal protective equipment as required. Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections.

See section 8 for more information.

7. Handling and Storage

Conditions for safe storage, including any incompatibilities.

Advice on safe handling.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Ensure adequate ventilation. Use according to package label instructions. Keep container closed when not in use. Do not get in eyes, on skin, or on clothing.

Hygiene measures.

Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Do not get in eyes, on skin, or on clothing.

Storage Conditions.

Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers. Keep away from food, drink and animal feedingstuffs. Freeze / thaw stable.

8. Exposure Controls/Personal Protection

Ingredients with Occupational Exposure Limits

Chemical Name	ACGIH TLV-TWA	ACGIH-TLV STEL	OSHA PEL-TWA	OSHA PEL-CEILING
Alkylcarboxylic acid	5 mg/m ³	N.E.	N.E.	N.E.

TLV = Threshold Limit Value TWA = Time Weighted Average PEL = Permissible Exposure Limit STEL = Short-Term Exposure Limit N.E. = Not Established

Engineering Measures.

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Personal protective equipment.

Eye/Face Protection.

Tightly fitting safety goggles. If splashes are likely to occur, wear:. Face-shield.

Skin and body protection.

Wear protective gloves/ protective clothing. Chemical resistant apron. Nitrile rubber. Neoprene gloves. Long sleeved clothing. Protective shoes or boots. Gloves must be rinsed thoroughly after use. Gloves must be inspected prior to use. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Remove and wash contaminated clothing before re-use.

Respiratory protection.

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection. If exposure limits are exceeded or irritation is experienced, respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

9. Physical and chemical properties.

Information on basic physical and chemical properties.

Physical state	Liquid
Appearance	Transparent
Color	Yellow/Amber
Odor	Mild
Odor Threshold	No Information
pH	8.0
Melting/freezing point., °C (°F)	No Information
Flash Point., °C (°F)	122 (251.60)
Boiling point/boiling range., °C (°F)	100 - 527 (212 - 980.6)
Evaporation rate	No Information Available
Explosive properties.	No Information
Vapor pressure.	No Information
Vapor density.	No Information
Specific Gravity. (g/cm ³)	0.968
Water solubility.	Soluble
Partition coefficient.	No Information
Autoignition temperature., °C	No Information
Decomposition Temperature °C.	No Information

Viscosity, kinematic.

No Information

Other information.

Volatile organic compounds (VOC) content.

0.004 lb/gal

Density, lb/gal

8.055

10. Stability and Reactivity**Reactivity.**

No dangerous reaction known under conditions of normal use.

Chemical stability.

Stable under recommended storage conditions.

Possibility of hazardous reactions.

None under normal processing.

Conditions to Avoid.

None known based on information supplied.

Incompatible Materials.

No materials to be especially mentioned.

Hazardous Decomposition Products.

Thermal decomposition can lead to release of irritating gases and vapors.

11. Toxicological Information**Information on toxicological effects.****Acute toxicity.****Product Information**

No Information

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral)	3,629.6 mg/kg
ATEmix (dermal)	183,710.2 mg/kg
ATEmix (inhalation - dust/mist)	62.40 mg/l

Component Information.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>LD50 Oral</u>	<u>LD50 Dermal</u>	<u>LC50 Inhalation</u>
Proprietary	Oxide of dialkyl substituted lauramine	846 mg/kg (rat)	N.I.	N.I.
Proprietary	Dimethylated aliphatic alkyl amine	1220 mg/kg (rat)	N.I.	N.I.
Proprietary	Alkylcarboxylic acid	2043 mg/kg (rat)	> 2000 mg/kg (rabbit)	N.I.
Proprietary	Dialkylated myristyl amine	1520 mg/kg (rat)	N.I.	N.I.
Proprietary	Oxide of dialkyl substituted myristylamine	1000 mg/kg (rat)	N.I.	N.I.
25322-69-4	Polypropylene glycol	3750 mg/kg Rat	N.I.	N.I.
Proprietary	Dialkylamine butylated alcohol	1656 mg/kg (rat) (female)	> 2000 mg/kg (rabbit)	N.I.
55406-53-6	3-iodo-2-propynyl butyl carbamate	1470 mg/kg (rat)	> 2000 mg/kg (rabbit)	0.68 mg/l 4-hr (rat) (Dust)

N.I. = No Information

Skin corrosion/irritation.

No Information

Eye damage/irritation.

Direct eye contact may cause severe irritation or burns. If not immediately removed, may cause permanent eye damage.

Respiratory or skin sensitization.

May cause allergic skin reaction.

Ingestion.

No Information

Germ cell mutagenicity.

No Information

Carcinogenicity.

No Information

Reproductive toxicity.

This organic acid has been found to cause developmental toxicity in animal studies. The American Conference of Governmental Industrial Hygienist's (ACGIH) airborne Threshold Limit Value (TLV)-Time Weighted Average (TWA) of 5 mg/m³ (inhalable fraction and vapor) for this organic acid is set to minimize the potential risks of developmental toxicity in exposed workers. Airborne and urine levels of this organic acid were evaluated in occupational workers in four Finnish sawmills using a wood preservative that contained 25% of the organic acid. Breathing zone air samples were all well below the TLV, with the highest level of 1.3 mg/m³ reported for a worker adjacent to the dip tank. Urine levels correlated with the dose associated with the airborne levels, indicating dermal absorption is not a significant route of exposure to this organic acid.

Specific target organ systemic toxicity (single exposure).

No Information

Specific target organ systemic toxicity (repeated exposure).

Repeated or prolonged inhalation of elevated levels of 3-iodo-2-propynyl butyl carbamate (IPBC) dust may cause chronic respiratory irritation. (STOT RE - Target organ: Larynx)

Aspiration hazard.

No Information

Primary Route(s) of Entry

No Information

12. Ecological Information

Toxicity.

2.67% of the mixture consists of ingredient(s) of unknown aquatic toxicity

Ecotoxicity effects.

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Oxide of dialkyl substituted lauramine Proprietary	EC50: 48-hr (algae) 0.11 mg/L	LC50: 96-hr (zebra fish) 10-100 mg/L	EC50: 48-hr (daphnia magna water flea) 4.4 mg/L
Dimethylated aliphatic alkyl amine Proprietary	-	LC50 96 h Brachydanio rerio 0.71 - 1 mg/L	-
Alkylcarboxylic acid Proprietary	EC50 72 h Desmodesmus subspicatus 61 mg/L, EC50 96 h Desmodesmus subspicatus 41 mg/L	LC50 96 h Pimephales promelas 70 mg/L	EC50 48 h Daphnia magna 85.4 mg/L
Polyethylene glycol branched nonylphenyl ether 68412-54-4	-	LC50 96 h Pimephales promelas 0.323 mg/L	-
Dialkylated myristyl amine Proprietary	-	LC50 96 h Danio rerio 0.35 mg/L	-
Oxide of dialkyl substituted myristylamine Proprietary	EC50: 48-hr (algae) 0.11 mg/L	LC50: 96-hr (zebra fish) 10-100 mg/L	EC50: 48-hr (daphnia magna water flea) 4.4 mg/L
3-iodo-2-propynyl butyl carbamate 55406-53-6	EC50: 72-hr (algae) Scenedesmus subspicatus 0.022 mg/L	LC50 96 h Lepomis macrochirus 0.14 - 0.32 mg/L, LC50 96 h Oncorhynchus mykiss 0.049 - 0.079 mg/L, LC50 96 h Oncorhynchus mykiss 0.05 - 0.089 mg/L, LC50 96 h Pimephales promelas 0.18 - 0.23 mg/L	EC50: 48-hr Daphnia magna 0.16 mg/L

Persistence and degradability.

No data are available on the product itself.

Bioaccumulative potential.

No data are available on the product itself.

<u>CAS-No.</u>	<u>Chemical Name</u>	<u>log POW</u>
Proprietary	Dimethylated aliphatic alkyl amine	5.47
Proprietary	Alkylcarboxylic acid	2.7
25322-69-4	Polypropylene glycol	0.3 - <=1.13
Proprietary	Dialkylamine butylated alcohol	0.09
55406-53-6	3-iodo-2-propynyl butyl carbamate	2.88

Mobility in soil.

No information

Other adverse effects.

No information

13. Disposal Considerations

Waste Disposal Guidance.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport Information

DOT**Shipping Name:** UN1760, Corrosive liquids, n.o.s. (alkyl amines), 8, PGII, Marine pollutant**IMDG****Proper Shipping Name:** UN1760, Corrosive liquid, n.o.s. (alkyl amines), 8 , PGII, Marine pollutant**IATA****Proper Shipping Name:** UN1760, Corrosive liquids, n.o.s. (alkyl amines), 8, PGII

15. Regulatory Information

International Inventories:

TSCA Complies

DSL -

DSL/NDSL -

EINECS/ELINCS -

ENCS -

IECSC -

KECI -

PICCS -

AIIC -

NZIoC -

TCSI

TSCA United States Toxic Substances Control Act Section 8(b) Inventory.

DSL Canadian Domestic Substances List.

DSL/NDSL Canadian Domestic Substances List/Canadian Non-Domestic Substances List

EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

ENCS Japan Existing and New Chemical Substances.

IECSC China Inventory of Existing Chemical Substances.

KECL Korean Existing and Evaluated Chemical Substances.

PICCS Philippines Inventory of Chemicals and Chemical Substances.

AIIC Australian Inventory of Chemical Substances.

NZIoC New Zealand Inventory of Chemicals.

TCSI Taiwan Chemical Substance Inventory

U.S. Federal Regulations:

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372: .

<u>Chemical Name</u>	<u>CAS-No.</u>	<u>Weight Percent</u>
Polyethylene glycol branched nonylphenyl ether	68412-54-4	2.5-10
3-iodo-2-propynyl butyl carbamate	55406-53-6	1.0-2.5

TOXIC SUBSTANCES CONTROL ACT 12(b):

This product does not contain any chemicals that are subject to the reporting requirements of TSCA 12(b).

U.S. EPA PESTICIDE INFORMATION

EPA Pesticide Registration Number: Custom Blend with 92617-17

EPA STATEMENT: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA PESTICIDE LABEL: See label

ADDITIONAL INFORMATION

Additional Information - Sxn 15: No Information

CALIFORNIA PROPOSITION 65 CARCINOGENS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

<u>Chemical Name</u>	<u>CAS-No.</u>
1,4-DIOXANE	123-91-1
Ethylene oxide	75-21-8

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**WARNING**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

<u>Chemical Name</u>	<u>CAS-No.</u>
Ethylene oxide	75-21-8

16. Other Information

Revision Date: 1/18/2024 **Supersedes Date:** 1/13/2023

Reason for revision: Substance and/or Product Properties Changed in Section(s):
 01 - Product Information
 02 - Hazards Identification
 03 - Composition/Information on Ingredients
 11 - Toxicological Information
 Product Composition Changed
 Revision Statement(s) Changed

Datasheet produced by: Regulatory Department

HMIS Ratings:

Health:	3*	Flammability:	1	Physical Hazard:	0	Personal Protection:	X
----------------	----	----------------------	---	-------------------------	---	-----------------------------	---

NFPA Ratings:

Health:	3	Flammability:	1	Instability:	0	Physical & Chemical:	N.I.
----------------	---	----------------------	---	---------------------	---	---------------------------------	------

Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.